

hindware™
smart appliances



Designed for Warmth Crafted for Life

Hindware Water Heaters

COLLECTION 2026-2027

Designed for Sukoon

Hindware Smart Appliances

Since 1960, Hindware has been redefining everyday living through innovation, quality, and trust. Building on a legacy of excellence, **Hindware Smart Appliances** brings together advanced technology, contemporary design, and dependable performance to create products that enhance comfort and simplify everyday life. Thoughtfully engineered and inspired by global design trends, our solutions deliver the perfect balance of aesthetics, functionality, and lasting reliability.

Water Heaters – Comfort Meets Innovation

In today's homes, a reliable water heater is more than just an appliance it is an everyday essential. From energizing morning showers to relaxing evening baths, uninterrupted hot water has become integral to comfort, convenience, and well-being. Hindware's range of water heaters is thoughtfully engineered to deliver this everyday comfort through advanced technology, superior safety features, and exceptional energy efficiency, ensuring dependable performance for years to come.



Storage Water Heaters

Copper heating elements, titanium-coated tanks, and IP24-rated protection for reliable everyday comfort and lasting performance.



Instant Water Heaters

Compact design with rapid heating and auto cut-off protection for safe, everyday use.



Gas Water Heaters

Efficient LPG and PNG water heaters with advanced flame failure protection for enhanced safety.

Why Hindware Water Heaters

Powered by

Intelli



Five Intelligent Reasons for Advanced Thermal Comfort



TITANIUM CORE SHIELD
for Fresh hot water



HIGH THERMAL EFFICIENCY
Finest Incoloy element



OPTIMIZED INLET DIFFUSER
Faster heating



REINFORCED INSULATION
Retain heat for longer hours



SUPERIOR SAFETY
Protects against electric shocks and overheating.

Robust, Corrosion Resistant Tank

Titanium core glassline shield





STORAGE WATER HEATERS

Modern Masterpieces for the Progressive You

Experience the comfort of soothing hot water with Hindware's advanced storage water heaters. Thoughtfully designed with smart features, they combine everyday convenience, superior performance, and enhanced safety for a seamless bathing experience.

Available in a variety of shapes and capacities, they are designed to fit every space while complementing the aesthetics of your modern bathroom.

Capacities : 10L-100L



ONDEO EVO

Capacity: 10L/ 15L/ 25L

25% Faster Heating*



ALIVIO

Capacity: 10L/ 15L/ 25L



*10L Available in Copper Element

Powered by
Intelli 5



Exclusive O'Pro Technology
Protects against corrosion for enhanced life



Optimized Inlet Diffuser
Faster heating



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Titanium Core Shield
For hygienic fresh hot water



Reinforced Insulation
Retains heat for longer hours



Powered by
Intelli 5



Exclusive O'Pro Technology
Protects against corrosion for enhanced life



Optimized Inlet Diffuser
Faster heating



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Titanium Core Shield
For hygienic fresh hot water



Reinforced Insulation
Retains heat for longer hours



WARRANTY



* 15L & 25L products have 2.5 kW heating elements vs 2 kW element in most competing models hence consumers get 25% faster heating.

WARRANTY





TORVO ^{NEW}
Capacity: 10L/ 15L/ 25L



ESPIRO PLUS
Capacity: 10L/ 15L/ 25L



Durable, Corrosion Resistant Tank
Built to withstand hard water conditions



High Thermal Efficiency
Finest Incoloy element*



Robust Construction
Engineered to be rust-proof



Perfect for High-Rise Residences
8 Bar working pressure



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Durable, Corrosion Resistant Tank
Built to withstand hard water conditions



High Thermal Efficiency
Finest Incoloy element*



Robust Construction
Engineered to be rust-proof



Perfect for High-Rise Residences
8 Bar working pressure



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



WARRANTY



WARRANTY






ELICIO DIGI ^{NEW}

Capacity: 10L/ 15L/ 25L

Color Available



Mettalic Grey



White



ELICIO NEO

Capacity: 10L/ 15L/ 25L



Glass Coat Pro+ Tank
Enhances the life of the water heater



Optimized Inlet Diffuser
Faster heating



Perfect for High-Rise Residences
8 Bar working pressure



Robust Construction
Engineered to be rust-proof



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Digital Display Panel
Displays real-time water temperature for greater convenience and control.



Glass Coat Pro+ Tank
Enhances the life of the water heater



Optimized Inlet Diffuser
Faster heating



Reinforced Insulation
Retains heat for longer hours



Perfect for High-Rise Residences
8 Bar working pressure



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated

WARRANTY

7 YEARS
TANK

3 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE

WARRANTY

7 YEARS
TANK

3 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE



EVANO NEO **NEW**
Capacity: 10L/ 15L/ 25L



ADMIRO ECO
Capacity: 10L/ 15L/ 25L



Glass Coat Pro+ Tank
Enhances the life of the water heater



Optimized Inlet Diffuser
Faster heating



Reinforced Insulation
Retains heat for longer hours



Perfect for High-Rise Residences
8 Bar working pressure



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Glass Coat Pro+ Tank
Enhances the life of the water heater



Copper Heating Element
Efficient heat conduction



Perfect for High-Rise Residences
8 Bar working pressure



Robust Construction
Engineered to be rust-proof



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated

WARRANTY

7 YEARS
TANK

3 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE

WARRANTY

7 YEARS
TANK

2 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE



ADMIRO PLUS

Capacity: 10L/ 15L/ 25L



ELICIO ^{NEW*}

Capacity: 35L/ 50L/ 70L* / 100L*



70L & 100L are available with 3 Star BEE Rating



Glass Coat Pro+ Tank
Enhances the life of the water heater



Copper Heating Element
Efficient heat conduction



Perfect for High-Rise Residences
8 Bar working pressure



Robust Construction
Engineered to be rust-proof



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated



Glass Coat Pro+ Tank
Enhances the life of the water heater



Optimized Inlet Diffuser
Faster heating



Perfect for High-Rise Residences
8 Bar working pressure



Robust Construction
Engineered to be rust-proof



Superior Safety
Protects against electric shocks & auto cut-off when dry and overheated

WARRANTY

7 YEARS
TANK

2 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE

WARRANTY

7 YEARS
TANK

3 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE



EVANO

Capacity: 15L/ 25L/ 50L



Copper Heating Element
Efficient heat conduction



Perfect for High-Rise Residences
8 Bar working pressure



Superior Safety
Protects against electric shocks & auto cut-off
when dry and overheated



Glass Coat Pro+Tank
Enhances the life of the
water heater



Robust Construction
Engineered to be rust-proof

WARRANTY

7 YEARS
TANK

2 YEARS
HEATING ELEMENT

2 YEARS
COMPREHENSIVE

Floor Standing unit.



INSTANT WATER HEATERS

Enjoy instant hot water with aesthetically designed water heaters that are ideal for compact spaces such as kitchens, bathrooms, and utility areas.

Capacities : 3L/5.9L





HELIO
Capacity: 3L/5.9L



COMPACTO PLUS
Capacity: 3L/5.9L



Copper Heating Element
Efficient heat conduction



Pressure Release Valve
Protects against pressure build-up



Perfect for High-Rise Residences
6.5 Bar working pressure



i-Thermostat
Guards against water overheating



Robust Stainless Steel Tank
Resistant to corrosion & wear



Robust Construction
Engineered to be rust-proof



Copper Heating Element
Efficient heat conduction



Pressure Release Valve
Protects against pressure build-up



Perfect for High-Rise Residences
6.5 Bar working pressure



i-Thermostat
Guards against water overheating



Robust Stainless Steel Tank
Resistant to corrosion & wear



Robust Construction
Engineered to be rust-proof



WARRANTY



WARRANTY



Gas Water Heaters



EVETO

Capacity: 6L/min



Climate Based Optimization
Adjust heat according to seasonal variations



Hassle Free Ignition
A-grade pulse ignitor and micro-switch



Superior Safety
Flame failure protection, anti dry burn protection, overheat protection and child lock



Suitable for all residences
Working pressure 0.01 MPa to 0.80 MPa



Robust Construction
Rust free SS body with triple burner system




WARRANTY

2 YEARS
OVERALL

CHOOSING THE RIGHT WATER HEATER

CAPACITY	USAGE	FAMILY SIZE
1-3L	 Kitchen/Wash Basin	 2 Members
5-5.9L	 Kitchen/Wash Basin/Bucket	 3 Members
6L(Gas WH)	 Kitchen/Bathroom /Bucket	 4 Members
6L to 10L	 Bathroom/Bucket	 3 Members
15L to 25L	 Bathroom/Shower /Bucket	 4 Members
35L-50L	 Bathroom/Shower /BucketBath Tub	 5 Members
Save Water ! At Hintastica Private Limited, we urge everyone to use water moderately and efficiently in order to conserve this precious natural resource and avoid water wastage.		



STRONG NATIONWIDE SERVICE NETWORK

Serving 5000+ cities,
12000+ Pin Codes Covered
Growing service network
day by day



Note: India map image shown is not to scale and only for graphical representation of Hindware service network availability.

TECHNICAL SPECIFICATIONS



Parameter	Ondeo Evo			Alivio			Torvo		
Capacity (Litre)	10	15	25	10	15	25	10	15	25
Mounting	V	V	V	V	V	V	V	V	V
Voltage (V) & Frequency (Hz)	230V, 50Hz, 1 Phase AC								
Power (Watts)	2000	2500	2500	2000	2500	2500	2000	2000	2000
Pressure (BAR)	8	8	8	8	8	8	8	8	8
Star Rating	5	5	5	5	5	5	5	5	5
Max Hot Water Output (°C)	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5
Dimension WxDxH (mm)	367x316x396	367x359x396	446x410x473	367x328x396	367x371x396	446x416x473	365x390x290	400x440x315	450x490x365
Class of Appliance	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I
Ingress Protection	IP24	IP24	IP24	IP24	IP24	IP24	IPX4	IPX4	IPX4



Parameter	Espiro Plus			Elicio Digi			Elicio Neo		
Capacity (Litre)	10	15	25	10	15	25	10	15	25
Mounting	V	V	V	V	V	V	V	V	V
Voltage (V) & Frequency (Hz)	230V, 50Hz, 1 Phase AC								
Power (Watts)	2000	2000	2000	2000	2000	2000	2000	2000	2000
Pressure (BAR)	8	8	8	8	8	8	8	8	8
Star Rating	5	5	5	5	5	5	5	5	5
Max Hot Water Output (°C)	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5
Dimension WxDxH (mm)	360x380x390	375x395x415	445x425x480	320x360x390	320x360x490	360x400x570	326x346x413	326x346x517	370x393x564
Class of Appliance	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I
Ingress Protection	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IP24	IP24	IP24

TECHNICAL SPECIFICATIONS



Parameter	Evano Neo			Admiro Eco			Admiro Plus			Elicio			
Capacity (Litre)	10	15	25	10	15	25	10	15	25	35	50	70	100
Mounting	V	V	V	V	V	V	V	V	V	V	V	V	V
Voltage (V) & Frequency (Hz)	230V, 50Hz, 1 Phase AC												
Power (Watts)	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	2000	3000	3000
Pressure (BAR)	8	8	8	8	8	8	8	8	8	8	8	8	8
Star Rating	5	5	5	4	4	4	4	4	4	4	4	3	3
Max Hot Water Output (°C)	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5
Dimension WxDxH (mm)	340x360x420	340x360x520	370x380x580	321x329x413	321x329x518	365x373x564	300x280x422	315x300x475	358x376x575	360x375x700	407x415x770	480x490x810	480x510x1020
Class of Appliance	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I	Class I
Ingress Protection	IPX4	IPX4	IPX4	IP24	IP24	IP24	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4



Parameter	Evano			Helio		Compacto Plus	
Capacity (Litre)	15	25	50	3	5.9	3	5.9
Mounting	H	H	H	V	V	V	V
Voltage (V) & Frequency (Hz)	230V, 50Hz, 1 Phase AC						
Power (Watts)	2000	2000	2000	3000	3000	3000	3000
Pressure (MPa)	0.50	0.80	0.80	0.65	0.65	0.65	0.65
Star Rating	2	2	2	NA	NA	NA	NA
Max Hot Water Output (°C)	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5	75 ± 5
Dimension WxDxH (mm)	430x335x355	545x380x400	780x400x465	220x190x350	220x215x395	190x190x350	225x235x440
Class of Appliance	Class I	Class I	Class I	Class I	Class I	Class I	Class I
Ingress Protection	IPX2	IPX2	IPX2	IPX1	IPX1	IPX1	IPX1





CORPORATE OFFICE

HINDWARE HOME INNOVATION LIMITED :

Unit No. 201, 2nd Floor, BPTP Park Centra, Sector-30, Gurugram-122001, Haryana, India.

+91 124-477 9200 | www.hindware.com



SCAN THE QR CODE
TO DOWNLOAD E-CATALOGUE

Follow us on:  |  |  / hindwareappliances